



QUICK-FIT

www.nordfab.com

Dust, Mist, and Fume
Collection Systems



www.firstchoiceind.net

Dantherm Filtration is now Nederman

Nederman

Contact: First Choice Industrial

Phone: 678.642.9722

Email: sales@firstchoiceind.net



Bags (Standard)



Barrels (Optional)



Dump Bin (Optional)

Quick to install and easy to operate, S-Series dust collectors are the ideal solution for the smaller workshop. **Designed for indoor locations**, S-Series dust collectors and can be readily re-located as required. The S-Series comes in 3 models. [The S-500 \(5hp\)](#) [The S-750 \(7.5hp\)](#) and [The S-1000 \(10hp\)](#).

CFM Range: 1,500 to 5,000 CFM

Key features

- Neat, compact, unobtrusive
- Quick and easy to install
- Bag or steel bin dust collection options
- Standard units in three sizes
- One bag size fits all
- Quiet running efficient 1450 RPM fans
- Simple maintenance
- Dantherm QF versatile clip together duct connections

Typical applications

- Woodwork, dust extraction from small and medium workshops
- Mixed workshop applications
- Educational workshops – ceramics, crafts, woodwork

[First Choice Industrial LLC](#) 145 Auburn Park Drive Auburn, GA 30011

Phone: 678.642.9722 Fax: 770.242.9388 Email: sales@firstchoice.net Web: www.firstchoiceind.net



QUICK-FIT

www.nordfab.com

Dust, Mist, and Fume
Collection Systems



www.firstchoiceind.net

Dantherm Filtration is now Nederman

Nederman

Contact: First Choice Industrial

Phone: 678.642.9722

Email: sales@firstchoiceind.net



CA, CAM Cyclone Separator

The CA and CAM is a range of ten cyclone separators designed with high efficiency in mind. The CA type offers an economic solution for normal duty. The CAM is a heavy duty unit to withstand abrasive materials.

Key features

- Robust fully welded steel construction
- Weatherproof for exposed locations
- Normal and heavy duty options
- 10 sizes from 500 to 20000m³/h
- High efficiency up to 90% at 4 micron
- Wide range of options
- Also available in stainless steel or aluminum

Typical applications

- General purpose pre-separation duties
- Heavy duty pre-separation of abrasive materials
- Separation of materials in pneumatic transport systems

First Choice Industrial LLC 145 Auburn Park Drive Auburn, GA 30011

Phone: 678.642.9722 Fax: 770.242.9388 Email: sales@firstchoice.net Web: www.firstchoiceind.net



QUICK-FIT

www.nordfab.com

Dust, Mist, and Fume
Collection Systems



www.firstchoiceind.net

Dantherm Filtration is now Nederman

Nederman

Contact: First Choice Industrial

Phone: 678.642.9722

Email: sales@firstchoiceind.net



NFP Bag Filters

The NFP reverse air, dust collector is suitable for airflows between 1,000 and 9,000 CFM and is available in OPEN or CLOSE panel construction. It also has the option for manual or reverse air cleaning.

CFM Range: 1,000 to 9,000 CFM

Key features

- Modular
- Expandable
- Quiet operation
- Small footprint
- Indoor & outdoor units available
- Bag or barrel material collection

Typical dust control and process applications

- High Speed Routing
- Sawing
- Cutting
- Sanding
- Single 'Cell' Manufacturing
- After-Filters

First Choice Industrial LLC 145 Auburn Park Drive Auburn, GA 30011

Phone: 678.642.9722 Fax: 770.242.9388 Email: sales@firstchoice.net Web: www.firstchoiceind.net



QUICK-FIT

www.nordfab.com

Dust, Mist, and Fume
Collection Systems



www.firstchoiceind.net

Dantherm Filtration is now Nederman

Nederman

Contact: First Choice Industrial

Phone: 678.642.9722

Email: sales@firstchoiceind.net



CS Bag Filters

The CS is a larger, reverse air, dust collector suitable for airflows between 4,000 and 20,000 CFM with various hopper discharge options.

CFM Range: 4,000 to 20,000 CFM

Key features

- Modular
- Expandable
- Customizable range
- Fully automatic operation
- Low profile
- Quiet operation
- No compressed air requirement
- Multiple waste collection options

Typical dust control and process applications

- High Speed Routing
- Cutting
- Centralized Systems
- Sanding
- Grinding
- After-Filters

First Choice Industrial LLC 145 Auburn Park Drive Auburn, GA 30011

Phone: 678.642.9722 Fax: 770.242.9388 Email: sales@firstchoice.net Web: www.firstchoiceind.net



QUICK-FIT

www.nordfab.com

Dust, Mist, and Fume
Collection Systems



www.firstchoiceind.net

Dantherm Filtration is now Nederman

Nederman

Contact: First Choice Industrial

Phone: 678.642.9722

Email: sales@firstchoiceind.net



NFK3000 Bag Filters

The NFK3000 filter is a compact filter, well suited for any air flow with heavy material content. It is designed with a basic module size of 1200 x 1200 mm. Additionally, the design makes it possible to add modules if the capacity is increased. The filter is self-supporting with telescopic supporting legs suitable for outdoor locations.

Each module (either 1200 or 2400 mm wide) of the filter construction is fitted with a combined inspection and explosion relief door. Regeneration fans are fitted for easy and effective cleaning of the filter bags. The NFK3000 filter is fitted with the unique patented Dantherm Filtration SUPERBAG filter bag. The filter hopper and the inlet section (optional) separate the particles and distribute the air to the filter bags. The collected material can be removed through a wide range of discharge and waste handling options.

CFM Range: 1,000 to 300,000 CFM

Key features

- Modular galvanized steel construction
- Easy to install on site and extend if required
- ATEX certified for St1 and St2 dust with a Kst value up to 300 bar m/s.
- Available for positive or negative pressure operation
- Low power consumption
- Powerful on-line cleaning by efficient regeneration fans
- Patented polyester SUPERBAG filter bags
- Wide range of discharge and waste handling options

Typical dust control and process applications

- Timber and Wood working machinery
- Furniture production
- Lightweight bulk materials

First Choice Industrial LLC 145 Auburn Park Drive Auburn, GA 30011

Phone: 678.642.9722 Fax: 770.242.9388 Email: sales@firstchoice.net Web: www.firstchoiceind.net